

AIRBRUSH GUNS & COMPRESSORS

BROCHURE









MEDEA

March 2016 I Errors and technical alterations reserved.



by ANEST IWATA

SHORT PAINT PASSAGE

The gravity fed airbrushes have a very short fluid passage, easy to clean and simple to maintain.

ANTI CORROSIVE PROTECTIVE EXTERIOR

The exterior is nickel and chrome plated. External clean up is easy as paint will not readily stick to the chrome surface.



NICKEL PLATED INTERIOR PARTS

The internal parts last longer and resist corrosion. Nickel plated parts will not stick together and can be taken apart manually.

STAINLESS STEEL NEEDLES

The long gradual taper of the stainless steel needle offers the ultimate in spray control.

The extremely sharp tip ensures fine line consistency.

STAINLESS STEEL NOZZLES

Each nozzle is made with extreme precision using the industry's most sophisticated machinery.

They are tested one by one to ensure accurate control and excellent atomization.

They are self sealing to eliminate the need for messy sealers.

Stainless steel nozzles are more durable than conventional brass nozzles and resist chemical corrosion.

Stipple Patterns

A stippling effect can be achieved by removing the nozzle cap and regulating the air pressure.

An entire range of stippling effects can be sprayed, from very fine to coarse textures.













Custom Micron 2 Series
THE BEST FOR THE ELITE



Hi-Line Series
FOR PROFESSIONALS



High Performance Plus Series FOR PROFESSIONALS



Eclipse Series
ALLROUND GENIUS



Whitesta Variatility Deliability and Derfermance

Revolution Series
BEST PRICE/PERFORMANCE



Quality, Performance and Value

NEO Series FOR BEGINNER



Kustom painting takes pole position with the iwata Kustom Series, that sports large cups and shines in atomizing solvent-based paints. Teflon packing, large cups, pre-set handles and taller triggers distinguish these airbrushes as Kustom.



Large Cups

For the elite, who demands precise and accurate control of very detailed spraying, the Custom Micron 2 Series with Matched Head System is built.



Absolute Precision

Featuring the ultimate in air control directly at the nozzle with iwata's MAC Valve (Micro Air Control), the HI-LINE Series is designed for artists, who need extreme control of detailed spraying.



Hi-Precision Work with Hi-Control

Renowned as the professional's workhorse, the popular High Performance Series has just been pumped up with these inspired new features and is now called High Performance Plus Series.



High Precision, High Detail Work

The multi-purpose, high-paint-flow, high-detail airbrushes of the Eclipse Series cover a wide range of uses. Commonly used to spray premixed or heavier paints, they are well suited for uses demanding precise control of spray when applying moderate-to-large amounts of paint to a variety of surfaces and to various-sized areas.

The Eclipse Series has established a new benchmark for excellence in an all-purpose airbrush.



Versatility, Reliability, Performance

Made for users at all levels, the Revolution Series features top-of-the-line airbrushes at great value. With breakthrough technology and performance, these airbrushes outperform all others in their price range.



Value, Performance, Quality

The NEO Series is very affordable, sprays great with an inexpensive compressor and is backed by the leading company in the airbrush market.





iwata
by ANEST IWATA

All iwata airbrushes
are **Warrauted** against
all manufacturing defects
of material and manufacture
or workmanship for a period
of FIVE years
from the date of purchase.

This warranty does not cover fluid needles or fluid nozzles since these parts need to be replaced occasionally due to normal wear.

Any other part or material that is or becomes defective so as not to be usable within this period will be repaired or replaced.

This warranty does not cover damage caused by negligence or airbrushes that have been altered or abused in any way.

KUSTOM Series






FOR KUSTOM PAINTING

The ideal application for the Kustom series is the <u>Kustom Painting</u> (very precise work). A silky smooth atomization is guaranteed.

FEATURES

- Large cups
- Presettable paint flow control in the handle (except Kustom TH)
- Stainless nozzle/needle system
- PTFE packing
- Metal housing

Kustom Series will be delivered in a metal box incl. Pistol-Grip Filter.



Kustom TH — Code K 9200


The first airbrush to create a flat-patterned spray, the HP-TH stands alone among its peers. Triggering your imagination for auto-body touch-up and Kustom painting, the Kustom HP-TH delivers unprecedented control of a fan pattern with a minimum of overspray, giving it a unique advantage over mini touch-up guns.

- 0.5 mm nozzle
- 1/2 oz (14 ml) interchangeable gravity-feed cup

SPECIAL FEATURES

- Aircap for flat and round spray pattern
- MAC Valve (Micro Air Control) for precise air pressure control
- Spray gun trigger design

Great for small areas such as chip repair, fender welds, door jams and other hard-to-reach areas.



Kustom MICRON CM — Code K 9000

Like Custom Micron CM-C2 Plus but with large cup.

The Kustom MICRON HP-CM provides extreme control of ultra fine-line spray, silky smooth atomization and ultimate paint-flow control with hand-tuned, hand-adjusted performance.

- 0.23 mm nozzle
- 1/2 oz (14 ml) gravity-feed cup

SPECIAL FEATURES

- Matched Head System
- Crown cap and crown cap dock
- Taller trigger for extreme control of trigger action and paint flow
- MAC Valve (Micro Air Control) for precise air pressure control

Great in Custom Automotive, Illustration, Fine Art, Model Painting, Figurines/Miniatures, Thin Cosmetics.



Kustom HI-LINE CH — Code K 9100

Like HI-LINE HP-CH but with large cup.

A preferred airbrush for users who need ultimate control of fine-line work and medium background spraying, the Kustom HI-LINE HP-CH supplies precise air control for ultimate control.

- 0.3 mm nozzle
- 1/2 oz (14 ml) gravity-feed cup

SPECIAL FEATURES

- Taller trigger for extreme control of trigger action and paint flow
- MAC Valve (Micro Air Control) for precise air pressure control

Great in Custom Automotive, Illustration, Fine Art, Ceramics, Model Painting, Thin Cosmetics, Body Painting.

KUSTOM Series



Kustom ECLIPSE CS — Code K 9300

Like Eclipse HP-CS but with large cup.

The workhorse of Kustom Series, the ECLIPSE HP-CS features a large general-purpose nozzle/needle combination. Still maintaining fine-line control, the CS creates wide background sprays with fine atomization and control. Designed to spray metallic, pearlescent and base-coat paints.

- 0.35 mm nozzle
- 1/2 oz (14 ml) gravity-feed cup

SPECIAL FEATURES

- self-centering nozzle-/ needle combination
- Taller trigger for extreme control of trigger action and paint flow
- · rear handle opening facilitates access to needle
- · quick change of nozzle without tools

Great in Custom Automotive, Model Painting, Textiles, Hobby and Craft, Body Arts, Cosmetics, Ceramics, Fine Arts, Sign Painting.



<u>Kustom REVOLUTION TR Ø 0.3</u> — Code K 9400 <u>Kustom REVOLUTION TR Ø 0.5</u> — Code K 9450

Like Revolution HP-TR but with large cup.

Triggering the passion of spray-gun users, the TR airbrush proves easy to use. The long trigger provides commanding control of the airbrush spray.

- 0.3 mm nozzle
- 3/4 oz (21 ml) interchangeable gravity-feed cup

SPECIAL FEATURES

- Spray-gun trigger design
- · internal air color mixing

Great in Custom Automotive graphics, Mural Painting, Model Painting, Textiles, Hobby and Craft, Body Arts, Cosmetics.



Kustom Set (5 airbrushes) — Code K 9900 in Kustom Case

Truly for professionals only, the complete set of five Kustom Series airbrushes available in a single case! This portable and compact aluminum attache' will make even the most fervent airbrush enthusiast green with envy. Imagine the impression you will create during your next project when you arrive with the ultimate set of tools. Now there is no doubt that you mean business - fame and fortune await!

- all 5 Kustom Series airbrushes
- 5 Pistol-Grip Filters
- 4 Plug (3pcs/pack)
- 1 Airbrush quick joint
- 1 Air hose joint set (brass)
- 1Nylon covered braided air hose 10'/ 3,05 m







Pistol-Grip Filter INCLUDED

Attaching directly onto the airbrush, the Pistol-Grip Filter is the final defense to deliver clean, dry air to your airbrush. Miniature in size, the super-fine, 5-micron filter element performs like a full-size filter separator.

The clear filter bowl allows a visual inspection of built-up moisture and is evacuated through a spring-loaded release valve – without taking the filter off the airbrush.

Comfortable in the hand, the Pistol-Grip Filter acts as a handle on the airbrush to relieve muscle tension.



CUSTOM MICRON 2 Series





THE BEST FOR THE ELITE

For the professional elite, requires the most accurate control of precise and very detailed work, the Custom Micron Series <u>Matched Head System</u> has been developed.

FEATURES

- Matched Head System
- Crown Cap and Crown Cap dock
- Presettable paint flow control
- taller ergonomic trigger
- Stainless nozzle/needle system
- PTFE packing
- Metal housing



Matched Head System

Custom Micron 2 Series will be delivered in a Red Metal Box incl. Pistol-Grip filter and lube.



Crown Cap



Crown Cap dock



delivered in Red Metal Box incl. Pistol-Grip filter and lube



Matched Head System

The unique feature of the hand-matched head system means all of the parts in the head are assembled, tested and adjusted until the spray characteristics are as perfect as an airbrush can be.

Available only as a set, spare head systems can be purchased to ensure the Custom Micron will always spray to its fullest potential.



Custom Micron CM-C2 Plus Ø 0.23 — Code ICM 4502 Custom Micron CM-C2 Plus Ø 0.18 — Code ICM 4518

The next evolution of peerless performance. The Custom Micron CM-C2 Plus drives automotive and illustration airbrushing into the future with innovative features that have to be experienced to be believed. The Custom Micron CM-C2 Plus provides extreme control of ultra fine-line spray, silky smooth atomization and ultimate paint-flow control with hand-tuned, hand-adjusted performance.

- 0.23 mm or 0.18 nozzle
- 1/3 oz (9 ml) gravity-feed cup

SPECIAL FEATURES

• MAC Valve (Micro Air Control) for precise air pressure control

Great in Custom Automotive, Illustration, Fine Art, Model Painting, Figurines/Miniatures, Thin Cosmetics.



CUSTOM MICRON 2 Series



Custom Micron CM-C2 — Code ICM 4002

- 0.23 mm nozzle
- 1/3 oz (9 ml) gravity-feed cup

Great in Custom Automotive, Illustration, Fine Art, Model Painting, Figurines/Miniatures, Thin Cosmetics.



iwata

Custom Micron



Custom Micron CM-B2 Ø 0.23 — Code ICM 2023 Custom Micron CM-B2 Ø 0.18 — Code ICM 2002

- 0.23 mm or 0.18 nozzle
- 1/8 oz (3.8 ml) gravity-feed cup

Great in Illustration, Fine Art, Figurines/Miniatures, Nail Art, Photo Retouching.



<u>Custom Micron CM-SB2</u> — Code ICM 3002

- 0.18 mm nozzle
- \cdot 1/8 oz (3.8 ml) side-feed cup which is engineered for right- and left-handed use and lets you view directly over the top of the airbrush for up-close, fine detail work
- For larger artwork, the Custom Micron versatility is enhanced by an optional 1/4 oz (7 ml) side-feed cup, 1/2 oz (14 ml) gravity-feed cup or a 1 oz (28 ml) siphon bottle

Great in Illustration, Fine Art, Figurines/Miniatures, Nail Art, Photo Retouching.

Pistol-Grip Filter INCLUDED

Attaching directly onto the airbrush, the Pistol-Grip Filter is the final defense to deliver clean, dry air to your airbrush. Miniature in size, the super-fine, 5-micron filter element performs like a full-size filter separator.

The clear filter bowl allows a visual inspection of built-up moisture and is evacuated through a spring-loaded release valve – without taking the filter off the airbrush.

Comfortable in the hand, the Pistol-Grip Filter acts as a handle on the airbrush to relieve muscle tension.



HI-LINE Series





FOR PROFESSIONALS

The HI-LINE Series is equipped with iwata's <u>MAC Valve (Micro Air Control)</u>. Thus the air pressure can be accurately set directly below the cup and adapted to specific requirements very quickly. Designed for artists who need extreme control of detailed spraying.

For example: In the background can be worked with normal air pressure. For fine detail the pressure is reduced to the required thickness. With further minimization can be sprinkled. Without pressing the pressure reducer on the compressor.

FEATURES

- MAC Valve (Micro Air Control) for precise air pressure control
- Presettable paint flow control
- Stainless nozzle/needle system
- PTFE packing
- Metal housing



MAC Valve



MAC Valve (Micro Air Control)

A breakthrough technology, the MAC Valve (Micro Air Control) enables infinite control of the airflow at the head of the airbrush, which is different than just regulating the air pressure at the compressor.

- Lets users spray a coarse stippling effect to full atomization with a quick turn
- For fine line or detail work, it can be adjusted to create the optimum airflow for maximum control of the paint output
- By fully opening the MAC Valve, quick cleaning or wide background spraying can be achieved



HI-LINE Series



HI-LINE HP-AH — Code H 1100

- 0.2 mm nozzle
- 1/32 oz (0.9 ml) fluid cavity

Great in Illustration, Photo Retouching, Nail Art.



HI-LINE HP-BH — Code H 2100

- 0.2 mm nozzle
- 1/16 oz (1.8 ml) gravity-feed cup

Great in Illustration, Photo Retouching, Nail Art.



HI-LINE HP-CH — Code H 4100

- 0.3 mm nozzle
- 1/3 oz (9 ml) gravity-feed cup

Great in Illustration, Ceramics, Fine Art, Custom Automotive, Model Painting, Thin Cosmetics, Body Art.





High-Performance Assembly

Each nozzle is precisely made on the industry's most sophisticated machinery. They are hand-tested to assure accurate control and fine atomization of the spray, and they are self-sealing, which eliminates the need for messy sealers. Unlike conventional brass nozzles, steel alloys are more durable and resist damage from harsh chemicals.



HI-PERFORMANCE PLUS Series






FOR PROFESSIONALS


The HI-PERFORMANCE PLUS Series meets a wide range of professional requirements. Excellent functional check, superfine atomization, high detail capable spray pattern with minimal color flow even in medium-sized areas.

Descended from greatness, the HI-Performance Plus Series remains the cornerstone of the iwata series and continues the legacy of the original HI-Performance Series.

FEATURES

- Presettable paint flow control
- Stainless nozzle/needle system
- PTFE packing
- Metal housing





HI-Performance Plus HP-AP — Code H 1001

- 0.2 mm nozzle
- 1/32 oz (0.9 ml) fluid cavity

Great in Photo Retouching, Nail Art, Illustration.



HI-Performance Plus HP-BP — Code H 2001

- 0.2 mm nozzle
- 1/16 oz (1.8 ml) gravity-feed cup

Great in Photo Retouching, Nail Art, Illustration, Fine Art, Figurines/Miniatures.



HI-PERFORMANCE PLUS Series



HI-Performance Plus HP-CP — Code H 4001

- 0.3 mm nozzle
- 1/3 oz (9 ml) gravity-feed cup

Great in Illustration, Fine Art, Figurines/Miniatures, Custom Automotive, Model Painting, Thin Cosmetics.









- 0.2 mm nozzle
- 1/8 oz (3.8 ml) side-feed cup which is engineered for right- and left-handed use and lets you view directly over the top of the airbrush for up-close, fine detail work
- \bullet Optional 1/4 oz (7 ml) side-feed cup, 1/2 oz (14 ml) gravity-feed cup or a 1 oz (28 ml) siphon bottle add to the versatility of this airbrush

Great in Fine Art, Illustration, Figurines/Miniatures, Custom Automotive, Model Painting, Thin Cosmetics.



HI-Performance Plus HP-BCP — Code H 5001

- 0.3 mm nozzle
- 3/4 oz (28 ml) glas jar (suction-feed)

Great in Custom Automotive, Model Painting, Spray Tanning, Body Art, Textiles, Sign Painting, Mural Painting, Ceramics, Hobby and Craft.

ECLIPSE Series



iwata > Eclipse


Ultimate Versatility, Reliability and Performance

ALLROUND GENIUS

The multi-purpose, high-paint-flow, high-detail airbrushes of the Eclipse Series cover a wide range of uses. Commonly used to spray premixed or heavier paints, they are well suited for uses demanding precise control of spray when applying moderate-to-large amounts of paint to a variety of surfaces and to various-sized areas. The Eclipse Series has established a new benchmark for excellence in an all-purpose airbrush.

FEATURES

- Presettable paint flow control
- self-centering nozzle-/ needle combination
- rear handle opening facilitates access to needle
- quick change of nozzle without tools
- Stainless nozzle/needle system
- PTFE packing
- Metal housing



Eclipse HP-BS — Code ECL 2500

- 0.35 mm nozzle
- 1/16 oz (1.8 ml) gravity-feed cup

Great in Body Art, Ceramics, Model Painting, Hobby and Craft, Cosmetics, Fine Art, Nail Art.



Eclipse HP-CS — Code ECL 4500

- 0.35 mm nozzle
- 1/3 oz (9 ml) gravity-feed cup

Great in Body Art, Ceramics, Model Painting, Hobby and Craft, Cosmetics, Fine Art, Textiles, Sign Painting, Custom Automotive.



Eclipse HP-SBS — Code ECL 3500

- 0.35 mm nozzle
- 1/8 oz (3.8 ml) side-feed cup which is engineered for right- and left-handed use and lets you view directly over the top of the airbrush for up-close, fine detail work
- Optional 1/4 oz (7 ml) side-feed cup, 1/2 oz (14 ml) gravity-feed cup or a 1 oz (28 ml) siphon bottle add to the versatility of this airbrush

Great in Body Art, Ceramics, Model Painting, Hobby and Craft, Cosmetics, Fine Art, Textiles, Sign Painting, Custom Automotive, Nail Art, Mural Painting.



ECLIPSE Series



Eclipse HP-BCS — Code ECL 2000

- 0.5 mm nozzle
- 3/4 oz (28 ml) bottle (suction-feed)

Great in Body Art, Ceramics, Model Painting, Hobby and Craft, Textiles, Sign Painting, Custom Automotive, Mural Painting, Spray Tanning.



iwata S Eclipse

Eclipse Nozzle/ Head Assembly

The drop-in hardened steel nozzles are self-centering for perfect alignment and quick, easy assembly. High-paint flow, coupled with ultimate control through the entire spray range, is iwata's trademark with the Eclipse style of airbrushes. With the interchangeable 0.35 mm high-flow nozzle/needle combination, even finer detail and control can be achieved (excludes the Eclipse G-Series).



Eclipse G-Series

With a unique pistol-grip feel, the Eclipse G-Series guns look like a miniature spray gun, but spray and perform like a large airbrush with their 0.3 and 0.5 mm stainless-steel nozzles. Great for small repair.



Eclipse G3 — Code ECL 9100

- 0.3 mm nozzle
- 40z (130 ml) gravity-feed cup

Eclipse G5 — Code ECL 9200

- 0.5 mm nozzle
- 80z (220 ml) gravity-feed cup

FEATURES (both guns)

- Stainless steel paint passage
- Pre-set needle adjustment
- Air pressure adjustment
- Fan pattern adjustment
- Cartridge-style air valve set
- Fan pattern air cap

Eclipse G-Series works well with the iwata Power Jet Pro HT Compressor (Code IS 925HT DE). Use Nylon-Covered Braided Air Hose, 10' (3,05m) long (Code BT 050).





Set 1 — Code AKES001

- Eclipse <u>HP-BS</u> Airbrush gun (Code single ECL 2500)
- HPA Quick jont (male + female) (Code single I 160 3)
- Nylon Covered Braided Hose (Code single BT 010)
- Airbrush Cleaner 4 oz (112 ml) (Code single 6 500 04)
- Color Cobalt Blue Opaque 1 oz (28 ml)

Set 2 — Code AKES002

- Eclipse HP-CS Airbrush gun (Code single ECL 4500)
- HPA Quick jont (male + female) (Code single I 160 3)
- Nylon Covered Braided Hose (Code single BT 010)

• Airbrush Cleaner 4 oz (112 ml) (Code single 6 500 04)

• Color Cobalt Blue Opaque 1 oz (28 ml)

REVOLUTION Series






Quality, Performance and Value

BEST PRICE/PERFORMANCE

Made for users at all levels, the Revolution Series features top-of-the-line airbrushes at great value. With breakthrough technology and performance, these airbrushes outperform all others in their price range.

FEATURES


- internal color mixing (except HP-SAR)
- ergonomic handle design
- Stainless nozzle/needle system
- PTFE packing
- Metal housing



Revolution HP-AR — Code R 1500

- 0.3 mm nozzle
- 1/32 oz (0.9 ml) fluid cavity


Great in Photo Retouching, Nail Art.



Revolution HP-BR — Code R 2500

- 0.3 mm nozzle
- 1/16 oz (1.8 ml) gravity-feed cup

Great in Nail Art, Cosmetics, Body Art, Model Painting, Cake Decorating, Hobby and Craft.



Revolution HP-CR ø 0.3 — Code R 4530 Revolution HP-CR ø 0.5 — Code R 4500

- 0.3 mm or 0.5 mm nozzle
- 1/3 oz (9 ml) gravity-feed cup

Great in Cosmetics, Body Art, Model Painting, Hobby and Craft, Textiles, Custom Automotive.



REVOLUTION Series



Revolution HP-SAR — Code R 1000 (Single-Action)

• 0.5 mm nozzle


Great in Body Art, Model Painting, Hobby and Craft, Spray Tanning, Mural Painting, Production.



Revolution HP-BCR — Code R 2000

- 0.5 mm nozzle
- 3/4 oz (28 ml) bottle (suction-feed)

Great in Body Art, Model Painting, Hobby and Craft, Textiles, Custom Automotive, Spray Tanning, Mural Painting.



 $\frac{\text{Revolution HP-TR0 } \emptyset \ 0.2 - \text{Code R } 5002}{\text{Revolution HP-TR1 } \emptyset \ 0.3} - \text{Code R } 5000}{\text{Revolution HP-TR2 } \emptyset \ 0.5} - \text{Code R } 5500}$

- 0.2 mm or 0.3mm or 0.5 mm nozzle
- \cdot 1/3 oz (9 ml) side-feed cup (HP-TR0 & HP-TR1)
- 1/2 oz (15 ml) side-feed cup (HP-TR2)
- Spray gun trigger design



Revolution MINI-LINE Series

The Revolution MINI-LINE Series features a single-action style trigger for simple operation with low pressure applications. It's gravity-fed and internal-mix for superior spray results. The airbrushes are perfect for cosmetics, body art, hobby and craft, model painting and other general applications.



Revolution MINI-LINE HP-M1 — Code R 1050

- 0.3 mm nozzle
- 1.5ml gravity-feed cup

Revolution MINI-LINE HP-M2 — Code R 106

- 0.4 mm nozzle
- 7ml gravity-feed cup





High-Performance Assembly

Even at Revolution's value price, you get the same iwata quality and performance. Each nozzle is precisely made on the industry's most sophisticated machinery. They are hand-tested to ensure accurate control and fine atomization of the spray, and they are self-sealing, which eliminates the need for messy sealers. Unlike conventional brass nozzles, steel alloys are more durable and resist damage from harsh chemicals.







FOR BEGINNER

Start airbrushing now with the NEO Series, only from iwata. The NEO Series are versatile, value-priced airbrushes that can be used with a variety of different paints and mediums. Plus they're easy to use and easy to clean.

FEATURES

- Stainless nozzle/needle system
- PTFE packing
- Metal housing





NEO HP-CN — Code N 4500

- 0.35 mm nozzle
- \bullet 2 interchangeable cups for easy cleaning: 1/3 oz (9 ml) and 1/16 oz (2ml)

Great in Cosmetics, Body Art, Textiles, Model Painting, Custom Automotive, Hobby and Craft.



NEO HP-BCN — Code N 2000

- 0.5 mm nozzle
- 3/4 oz (28 ml) Big Mouth Bottle

(Also compatible with other sizes of Big Mouth Bottles and iwata bottles.)

 $\label{thm:continuity} Great in Body Art, Textiles, Model Painting, Custom Automotive, Hobby and Craft, Spray Tanning, Mural Painting.$

NEO TRIGGER Series

This is not any ordinary trigger Airbrush! The NEO Series, including these New NEO for iwata Trigger Airbrushes, are unique in that they are designed to work at low air pressures. The benefits of the NEO Trigger Airbrushes working with low air pressures are minimal overspray, precise control, detailed spraying, fine atomization and affordability.



NEO HP-TRN1 — Code N 5500

Preferred when working in small- to medium-sized areas with small amounts of paint, the gravity-feed trigger airbrush performs well at lower air pressures, which helps create greater detail.

- 0.35 mm nozzle
- 2 interchangeable cups for easy cleaning: 1/3 oz (9 ml) and 1/16 oz (2ml)

Great in Cosmetics, Nail Art, Miniatures, Hobby and Craft, Photo Retouching, Illustration.



NEO HP-TRN2 — Code N 5000

Needle and nozzle combination for finer detail spraying and medium-sized spray patterns.

- 0.5 mm nozzle
- 1/4 oz (7 ml) gravity-feed cup and 1/2 oz (15ml) gravity-feed cup and 1 oz (30ml) siphon-feed bottle

(Also compatible with other sizes of Big Mouth Bottles and iwata bottles.)

Great in Model Railroad, General Hobbies, Custom Automotive graphics, Spray Tanning, Body Art, Cosmetics.





NEO AIR Compressor — Code IS 30 DE

FEATURES

- Compact, portable, miniature air compressor
- Weighs less than a pound!
- Working pressure from 1 PSI to 15 PSI
- On/off and 3-speed control button
- Airbrush holder
- Air hose
- 100V—>240V power supply

Technical Specifications CFM: 0.37 CFM@ open flow (10.5 LPM) PSI: 1-15 psi max. pressure Weight: 0.43 kg Size: 13 x 9.9 x 6.5 cm

Great for Make-Up, Hobby and Craft and Cake Decorating. Works with most gravity-feed airbrushes.













Available for the beginning or casual airbrush user, iwata Studio Series Compressors utilize the latest technology to fulfill your every airbrushing need. Powerful, compact and remarkably quiet, these reliable compressors, with oil-less piston motors, are low maintenance and affordably priced, meaning artists can now spray a variety of different mediums without compromise.

Iwata Studio Series products are built with iwata best-quality assurances and specifically engineered for use by creative people. It has never been easier to start with iwata since all Studio Series Compressors are sold complete with air hoses and an adapter to fit any airbrush.



Freestyle Air — Code IFS-1000

Unique curved design fits right in your hand. 3-Speed adjustment with the most power in its class. Powers all gravity-feed airbrushes. Use upright or lay flat.

FEATURES

- 1. Dual position airbrush holder for use upright or flat
- 2. On/off rolling switch with 3 speed adjustment
- 3. AC power adapter with international plugs (100-240V \sim 50/60Hz)
- 4. Detachable, rechargeable NiMH battery (45 minutes at 10 psi)
- 5. Non-skid, anti-vibration base
- 6. 5ft (1.5 m) lightweight air hose

Technical Specifications Motor: 12 Volt Max. Pressure: max. 1.3 bar Air Delivery: 10.5 L/min Weight: 0.76 Kg

Size: 10.6 cm x 16.7 cm x 5.7 cm





iwata studio series



IS-50 Silver Jet — Code IS 50 DE

The Silver Jet compressor proves ideal for the occasional and professional artist doing low PSI airbrush applications. It's compact, reliable and quiet.

FEATURES

- Zero-maintenance, oil-less piston air compressor
- Working pressure from 1 PSI to 18 PSI
- Includes the iwata Pistol-Grip Filter
- Special cord wrap for easy storage
- · Air-pressure gauge on unit
- Coiled airhose fits iwata airbrushes
- On/off switch

Technical Specifications Motor: 140-110 Watt Max. Pressure: max. 1.3 bar Air Delivery: 9 L/min Weight: 2.9 Kg Standard: 4 m coil hose Size: 15 x cm 15.5 cm x 18 cm



Compressors



IS-850 Smart Jet — Code IS 850 DE

Featuring iwata's Smart Technology, the Smart Jet compressor is perfect for the occasional and professional artist doing general airbrush applications. It's powerful, compact, reliable and quiet.

FEATURES

- · Zero-maintenance, oil-less piston air compressor
- Extra hose for enhanced moisture separation
- · Moisture filter also prevents pulsation
- Mounted air pressure gauge
- Bleed valve airflow adjustment to lower air pressure
- High-strength polyurethane hose fits iwata airbrushes
- On/off switch
- · Built-in airbrush holder

Technical Specifications Motor: 91 Watt Max. Pressure: 2.4 bar Air Delivery: 18 L/min Weight: 3.6 Kg Standard: 3 m air hose Size: 25 cm x 18 cm x 16 cm



IS-925 Power Jet Lite — Code IS 925 DE

The Power Jet Lite compressor delivers twice the Sprint Power in a compact and portable design. Built with iwata's Smart Technology, it automatically shuts off the compressor when not in use. Economically priced, the Power Jet Lite doesn't have a tank reservoir, yet delivers all the power necessary for use with the high paint-flow iwata Eclipse airbrushes.

FFATURES

- · Zero-maintenance, oil-less DUAL piston air compressor
- Case-mounted air regulator / moisture-filter
- Air regulator for precise air-pressure adjustment
- Strong protective outer case
- High-strength polyurethane hose fits iwata airbrushes
- Built-in airbrush holder

Technical Specifications Motor: 125 Watt Max. Pressure: 4.2 bar Air Delivery: 34 L/min Weight: 7.9 Kg Standard: 4 m air hose Size: 26.5 cm x 31 cm x 15.5 cm



IS-925 HT — Code IS 925HT DE

- Compressor shuts itself off automatically when not in use
- Zero-maintenance, oil-less piston air compressor
- Air Regulator and Gauge for precise air pressure adjustment
- Air tank (0.5 liter) inside the handle
- High-strength braided nylon covered hose fits all iwata airbrushes
- Two built-in cooling fans
- On/off switch
- Built-in spray gun holder

Technical Specifications Motor: 220 Watt Max. Pressure: 4.2 bar Air Delivery: 39 L/min Tank: 0.5 L Weight: 7.1 Kg Standard: 3 m air hose Size: 28 cm x 16 cm x 33 cm



by ANEST IWATA



Smart Jet Technology

- Compressor shuts itself off automatically when not in use
- Less heat-related moisture build-upProduces full-capacity air on demand
- Reduces running time
- Less motor wear means
- longer compressor life Inherently guieter in any environment



2x Sprint Jet Power

- Zero-maintenance, oil-less DUAL piston compressor
- Powerful 1/6-hp motor



2x Power Jet Speed

 Runs at twice the RPMs of the Power Jet

All iwata air compressors are warranted against all manufacturing defects of material and manufacture or workmanship for a period of ONE year from date of purchase. Any part or material that is or becomes defective so as not to be usable within this period will be repaired or replaced. This warranty does not cover damage caused by negligence or units that have been altered or abused in any way.



iwata studio series



IS-1000 Maxx Jet — Code IS 1000 DE

Maximum Speed: The Maxx Jet compressor delivers twice the RPMs of the Power Jet in a portable design. Now you can power iwata's Eclipse G3 and G5 and take your art on the road.

FEATURES

- Zero-maintenance, oil-less two pole motor air compressor
- Case-mounted air regulator / moisture-filter
- Dual manifold air regulator with airbrush and spray gun holders
- 2.5 liter air storage tank and internal cooling fan
- Strong, protective travel case with wheels and retractable handle
- Gear storage galore
- Two braided air hoses for an airbrush and a spray gun
- On/off switch

Technical Specifications Motor: 125 Watt Max. Pressure: 5.5 bar Air Delivery: 40 L/min Tank: 2.5 L Weight: 14.2 Kg

Standard: 3 m air hose (with plug) Size: 32 cm x 32 cm x 57 cm







Convenient Airbrush, Spray Gun and Regulator Holders





Secure Latch for Top Access

> Front Legs for Stability



One Front Removable Drawer





Wheels for Portability

Air Regulator Output with On/Off Switch and Detachable Power Cord (10ft)



Tank Pressure Gauge and Internal Cooling Fan



1/6Hp Oil-less, Two Pole Motor



Gun and accessories are not included.

March 2016 I Errors and technical alterations reserved.

AIRBRUSH SETS

Only from iwata, these airbrush kits will have you learning on the best equipment in the industry. Each kit includes an assortment of materials that will have you airbrushing fast and producing impressive results.





Deluxe Kit — Code DLXIS850CS

Set includes:

- Eclipse HP-CS (Code single ECL 2500)
- IS-850 Smart Jet Compressor (Code single IS 850 DE)
- HPA Quick jont (male + female) (Code single I 160 3)
- Table Top Cleaning Station
- Paint KIT A Opaque Primary
- Pistol Grip Moisture Filter (Code single F A450)
- Lubricant 1/2 oz (14 ml) SUPER LUBE (Code single 015 001)
- Airbrush Cleaner 4 oz (112 ml) (Code single 6 500 04)
- Instrucional Video Eddie Young Freehand DVD
- ARTOOL template EDDIE YOUNG



iwata





Starter Kit — Code CRIS50BLKDE

Set includes:

- Revolution HP-CR (Code single R 4500)
- IS-50 Silver Jet Compressor black
- Coil Type Air Hose









iwata

by **ANEST IWATA**

inata

Cleaning & Maintenance





Cleaning Kit — Code CL 100

Set includes:

- · plastic case
- 3 extra small cleaning brushes
- 50 Pipe Cleaners
- Studio Wipes 12 pack pouch (Code single 6 600 12)
- illustrated Instructions
- · Airbrush Cleaner 1oz
- Nozzle Wrench (Code single CL NW 1)
- LED Magnifier (Code single CL MG 1)
- Super Lube (Code single 015 001)





Studio Wipes

• cleans art materials, work surfaces, airbrushes and studio tools

Available in

- 80 count tub (Code 6 600 80) or
- 12 pack pouch (Code 6 600 12)



Airbrush Cleaner

- a mild, general-purpose cleaner, great for cleaning any airbrush or any artist tools where acrylics, watercolors, gouache, inks or dyes are used
- works well on all models of airbrushes, synthetic and natural-haired paint brushes, and is excellent for use in the ultrasonic cleaning of technical pens
- environmentally safe and ready to use
- available in 4 oz (Code 6 500 04), 8 oz (Code 6 500 08), 16 oz (Code 6 500 16), 32 oz (Code 6 500 32)

<u>Airbrush Cleaner with invertible 360 Nozzle</u> — Code 6 360 16

- the invertible 360 Nozzle releases Airbrush Cleaner in a solid stream or a fine spray right-side up or upside down for airbrushes, work surfaces and studio tools
- use the powerful stream setting to quickly flush and rinse the airbrush cup, fluid cavity or siphon joint
- use the spray setting for cleaning art materials, airbrush bodies, work surfaces and studio





Super Lube — Code 015 001

- non-toxic and no silicone
- can be used on all moving parts of an airbrush
- use on the main lever, needle packing and valve-piston packing to keep them moving smoothly
- apply in the needle cap and on theneedle to enhance paint flow and prevent tip drying
- a must for any airbrush user



Cleaning & Maintenance



Cleaning Mat — Code CL 200

- with its unique raised edge, your parts will never roll away again!
- take apart and reassemble your airbrush on a large, safe and soft surface
- non-skid backing
- 29,5 cm x 27 cm



iwata

ECLIDSE HP-CS JAPA

by **ANEST IWATA**





<u>Maintenance Tools Set</u> — Code CL 500

nylon case includes:

- A: air valve guide wrench
- B: soft jaw pliers
- C: needle packing screw drivers (1.2mm and 1.4mm)
- D: nozzle wrench





NEW: <u>Airbrush case</u> — Code CL 500 E available from June 2016

- durable nylon case (empty)
- fits up to 6 airbrushes
- removable zippered pouch
- stores accessories and maintenance tools





- eliminate overspray when cleaning your airbrush
- universal airbrush hanger fits all gravity-feed, side-feed, bottom-feed and trigger-style airbrushes
- filter cap / airbrush parts holder (extra filters included)
- easy-to-clean, dishwasher safe 10 oz (300 cc) glass pot
- removable, non-skid pot sleeve



- no overspray while cleaning your airbrush
- easy to clean container
- convenient and portable



March 2016 I Errors and technical alterations reserved

<u>AIR-PORT™</u> <u>Airbrush Workstation</u> — Code KJ 200

The AIR-PORT™ AIRBRUSH WORK STATION provides a simple and convnient way to keep you organized. Easily mount your AIR-PORT™ with its studymounting magnets anywhere you work or bolt it to a desired location for permanent mounting. Made of solid 18-gauge steel construction with a powder-coated finish, the AIR-PORT™ holds three airbrushes and all your airbrushing supplies, so you can keep focused on your work.

Size: 23 cm x 12.7 cm x 6.3 cm Weight: 2 kg



AIR-PORT™ Magnetic hanger — Code KJ 100

The AIR-PORT HANGER™ will hang most styles of airbrushes. Its adjustable hanging positions accommodate for the most varying types of airbrush shapes and feed types. The AIR-PORT HANGER™ is constructed of solid 18-gauge steel for long-lasting durability. It will attach securely to most metal surfaces by its powerful mounting magnet, or it can be bolted permanently to any work area.





ADJUSTABLE SLIDING ARMS ACCOMMODATE VARIOUS AIRBRUSH STYLES

NEW: <u>Universal Airbrush Holder</u> — Code AH 400

available from June 2016

- two universal airbrush hangers that hold any combination of gravity-feed, side-feed, bottom-feed and trigger-style airbrushes
- specific hanger design holds airbrushes securely so they cannot be accidentally pulled from hanger
- heavy-duty clamp for tables up to 3 inches (76.2 mm) thick
- bracket used to connect the new Universal Spray Out Pot (Code CL 300)







Gun and accessories are not included.

Airbrush Holder — Code AH 250

available until stock last

- made of high-impact-resistant plastic and nickel-plated brass
- securely holds two of any make or model airbrush
- \bullet attach to table top, easel, workstation and virtually anywhere
- bracket can accommodate most air filters and regulators

Accessories



Pistol-Grip Filter — Code F A450

Attaching directly onto the airbrush, the iwata Pistol-Grip Filter is the final defense to deliver clean, dry air to your airbrush. Miniature in size, the super-fine, 5-micron filter element performs like a full-size filter separator.

The clear filter bowl allows a visual inspection of built-up moisture and is evacuated through a spring-loaded release valve – without taking the filter off the airbrush.

Comfortable in the hand, the Pistol-Grip Filter acts as a handle on the airbrush to relieve muscle tension.



iwata

by **ANEST IWATA**



inata

External MAC Valve — Code K 250

Infinite control of airflow at the airbrush

- Spray a coarse stippling effect to full atomization with a quick turn
- For fine line or detail work, adjust to create optimum airflow for maximum control of paint output
- Fully open the External MAC Valve and quickly clean the airbrush during color changes or for wide background spraying

Fits all iwata airbrushes.



Grip Handle — Code K 200

Ergonomic, textured, non-slip grip for better airbrush control

Fits these iwata Airbrushes:

- Kustom TH
- Kustom REVOLUTION TR
- Revolution HP-TR0
- Revolution HP-TR1
- Revolution HP-TR2



<u>Triple-Action Handle</u>
Fits these iwata Airbrushes:

- Kustom HI-LINE CH and Kustom ECLIPSE CS
- HI-LINE Series
- HI-Performance PLUS HP-CP and HI-Performance PLUS HP-BCP
- Eclipse HP-BS, Eclipse HP-CS, Eclipse HP-BCS
- Revolution HP-CR and Revolution HP-BCR

Set 1: One Silver Handle - Code K 150 Set 2: Five Colored Handles - Code K 155



Quick Needle Release




Pre-Set Handle



Quick Flush



Needle Cap Holder



Gun is not included.











Big Mouth plastic Bottles

- Offset connector allows larger diameter bottles to affix easily to your airbrush
- Raised air intake creates a splash-proof opening
- Durable, one-piece, easy-to-clean cap, leak-proof seal

Available in different sizes:

- 1 oz (30CC) Code A 470 1
- with 20 mm Airbrush Cap
- 2 oz (60CC) Code A 470 2
- with 24 mm Airbrush Cap • 2.5 oz (75CC) Code A 480 3
- with 38 mm Airbrush Cap
- 3 oz (80CC) Code A 480 2
- with 38 mm Airbrush Cap



Crystal Clear plastic Bottles

- Designed for water-based paint, these bottles reveal the actual color in the bottle
- with No-Rust or Fast-Blast Caps

Available in different sizes

- plastic bottle 1 oz (28ml) Code I 450 1
- plastic bottle 2 oz (56ml) Code I 450 2
- plastic glas 2 oz (56ml) Code I 460 2
- plastic bottle 4 oz (112ml) Code I 450 4

Side-Feed Bottles & Gravity Cups

• Fits models Custom Micron CM-SB2, HI-Performance Plus HP-SBP, Eclipse HP-SBS

Air hoses

Nylon-Covered Braided Air Hoses

- 10' (3,05m) long
- for all iwata airbrushes (Code BT 010) and Eclipse G-Series (Code BT 050)

Cobra Coil Air Hoses

- Made of strong polyurethane for use with all iwata airbrushes and most other airbrush brands
- 6' (1,8m) long (Code CT I 06)
- 10' (3,05m) long (Code CT I 10)

Straight Shot Air Hoses

- Made of polyurethane, which is 1/3 the weight of the braided airhose
- For use with all iwata airbrushes with standard 1/4" threads to fit most air sources
- 6' (1,8m) long (Code DT I 06)
- 10' (3,05m) long (Code DT I 10)

Fittings and nipples

Quick fit set (QD & ADAPTOR) — Code I 160 3

Airbrush Adapter Nipple — Code W2KIT402

- 7,2 NW 1/4" AG
- for the connection of airbrush guns to the compressed air network



Accessories



Masks, Cutting Mats, Cutting Rails, Bridges











matte or gloss different packaging sizes



Hobby Mask*

15,3 cm x 9,2 m



Hobby Mask

MINI SERIES

10.2 cm x 4.6 m



ULTRA MASK

different sizes



CUTTING MATS

Cutting Mats different colours different sizes



Cutting Mats different colours 30 cm x 45cm





Cutting Rails metalic silver

different lengths



ARTIST BRIDGE

Bridaes clear acrylic different lengths























Colours

















by **ANEST IWATA**





HEADQUARTERS:

www.airbrush-iwata.de

ANEST IWATA Corporation Yokohama - JAPAN

www.anest-iwata.co.jp



SALES OFFICES:

ANEST IWATA USA Inc.

West Chester - Ohio - U.S.A. inquiry@anestiwata.com www.anestiwata.com

ANEST IWATA DO BRASIL COMERCIAL Ltda.

Sao Paulo - BRAZIL contato@anest-iwata.net.br www.anest-iwata.net.br

ANEST IWATA Coating Solutions Corporation

Yokohama - JAPAN www.anest-iwataeu.co.jp

ANEST IWATA Russia LLC

Moscow - RUSSIA tam@anestiwata.ru www.anestiwata.ru

SOUTHEAST ASIA CO. Ltd.

Bangkok - THAILAND info@anest-iwata.co.th http://www.anest-iwatasoutheastasia.com

ANEST IWATA Shanghai Corporation Shanghai - CHINA

customer@anest-iwata-sh.com www.anest-iwata-sh.com

ANEST IWATA Taiwan Corporation

Hu-Kuo - TAIWAN R.O.C. service@anestiwata.com.tw www.anestiwata.com.tw

ANEST IWATA Vietnam CO. Ltd.

Ho Chi Minh City- VIETNAM info@anest-iwata.vn www.anest-iwatasoutheastasia.com

PT. ANEST IWATA Indonesia

Jakarta - INDONESIA www.anest-iwatasoutheastasia.com

ANEST IWATA Motherson Coating Equipment Ltd.

Noida - INDIA sales@aim.motherson.com www.motherson.com/anest-iwata-motherson.html

ANEST IWATA Middle East FZE

Dubai - UNITED ARAB EMIRATES info@anest-iwata-me.com www.anest-iwataeu.com

ANEST IWATA South Africa Pty Ltd.

Johannesburg - REPUBLIC OF SOUTH AFRICA www.anest-iwata.co.za

ANEST IWATA Australia Pty Ltd.

Sidney - AUSTRALIA info@anest-iwata.com.au www.anest-iwata.com.au

ANEST IWATA Italia S.r.l.

info@anest-iwata.it www.anest-iwata.it

EUROPEAN SALES OFFICES:

ANEST IWATA Deutschland GmbH

Mommsenstr. 5, 04329 Leipzig - GERMANY Tel. +49 341 241 44 30 Fax +49 341 252 55 95 info@anest-iwata.de www.anest-iwata.de

ANEST IWATA France S.A.

Saint Quentin Fallavier, Lyon - FRANCE info@anest-iwata.fr www.anest-iwata.fr

ANEST IWATA U.K. Ltd.

St. Neots Cambridgeshire - ENGLAND enquiries@anest-iwata.co.uk www.anest-iwata.co.uk

ANEST IWATA Iberica S.L.Badalona - Barcelona - SPAIN info@anest-iwata.es www.anest-iwata.es

ANEST IWATA Scandinavia AB.

Partille, Göteborg - SWEDEN info@anest-iwata.se www.anest-iwata.se

ANEST IWATA Polska Sp. Z o.o. Poznañ - POLAND

info@anestiwata.com.pl www.anest-iwata.pl



Distributed by:

CREATEX

D-24568 Kaltenkirchen Tel: +49 4191 88277 info@createx.de www.createx.de





2016 I Errors and technical alterations reserved.